

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: RUSSELL, et al.

SERIAL NO.: 10/679,158 Group Art Unit: 3733

FILED: October 3, 2003 Examiner: Wistermayer, Alexis

FOR: SURGICAL POSITIONERS

Attorney Docket No.: 50642/287729

Date: 7/14/08

Mail Stop Amendment
Commissioner for Patents
P. O. Box 1450
Alexandria, Virginia 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with Rules 56, 97 and 98 of the Rules of Practice in Patent Cases (37 C.F.R. §§ 1.56, 1.97, and 1.98), the publications listed on the enclosed Form PTO/SB/08 are cited for consideration by the Examiner.

Submission of the references provided in this Supplemental Information Disclosure is not intended to constitute an admission that any reference referred to herein is prior art for this invention unless specially designated as such. Also, in accordance with 37 C.F.R. § 1.97(g), the filing of this Supplemental Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 C.F.R. § 1.56(a) exists.

This Information Disclosure Statement is being filed pursuant to 37 CFR 1.97(e)(2). Applicants, through the undersigned representative, submit that no item of

information contained in this paper was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in this paper was known to any individual designated in 1.56(c) more than three months prior to the filing of this paper.. Applicants believe that no fee is due for consideration of this paper. If a fee is due, the Commissioner is authorized to charge such fees associated with this filing or credit any overpayment to Deposit Account No. 11-0855.

Respectfully submitted,



Michael A. Bertelson
Registration No. 54,713

KILPATRICK STOCKTON LLP
Suite 2800, 1100 Peachtree Street
Atlanta, Georgia 30309-4530
Phone (404) 815-6500